

Zoning: O&I-1&2, SC CUD

CAC: Northwest

Drainage Basin: Crabtree Basin

Acreage: 4.91 Square Feet: 28,338 Planner: Meade Bradshaw Phone: (919) 996-2664

Applicant: RL Regi NC GTree

LLC

Phone: 919) 590-0377





**Development Services Customer Service Center** One Exchange Plaza 1 Exchange Plaza, Suite 400 Raleigh, North Carolina 27601 Phone 919-996-2495 Fax 919-516-2685

#### **Preliminary Development Plan Application**


When submitting plans, please check appropriate review type and include the Plan Checklist document.


Preliminary Approvals				FOR OFFICE USE ONLY			
Site Plans for Plannin Preliminary Adminis Group Housing ** Multifamily (Infill)**  * May require Planning (	trative Site	e Plans	Subdivision*  Cluster Subdivision*  Infill Subdivision*  Expedited Subdivision*  Conventional Sub  Compact Develop  Conservation Sub	* ision Review division ment		Transaction Number 426282 Assigned Project Coordinator Assigned Team Leader 8 MShan	
Has your project previo	usly beer	n through the Due Diligence pro	ocess? If yes, provide t	he transaction #			
		GENE	ERAL INFORMATIO	ON			
Development Name: Sole	il Center						
Proposed Use: Mixed Use	: Hotel ar	nd Condo					
Property Address(es): 450	)1 Creedm	oor Road, Raleigh, NC 27612					
Wake County Property Ide	ntification	Number(s) for each parcel to whic	ch these guidelines will a	pply:			
P.I.N. Recorded Deed 0796315688  P.I.N. Recorded Deed		P.I.N. Recorded De	P.I.N. Recorded Deed		P.I.N. Recorded Deed		
What is your project type? ☐ Apartment ☐ Banks ☐ Elderly Facilities ☐ Hospitals ☐ Hotels/Motels ☐ Industrial Building ☐ Mixed Residential ☐ Non-Residential Condo ☐ Office ☐ Religious Institutions ☐ Residential Condo ☐ Retail ☐ School ☐ Shopping Center ☐ Single Family ☐ Telecommunication Tower ☐ Townhouse ☐ Other: If other, please describe:							
PRELIMINARY ADMINISTRATIVE REVIEW	Per City Code Section 10-2132.2, summarize the reason(s) this plan can be reviewed administratively not requiring Planning Commission or City Council approval.: The application is for the extension of SP-52-05 and associated permits						
Per City Code Section 10-2132.2, summarize the reason(s) this plan requires Planning Commission or City Council Preliminary Approval.: N/A							
Company: RL REGI NC GTREE., LLC Name (s): Mack Paul							
CLIENT (Owner or Developer)	Address: 630 Davis Drive, Suite 200, Morrisville, NC 27560						
	Phone: (919) 590-0377 Email: mpaul@morningstarlawgroup.com				Fax		
	Compa	Company: Kimley-Horn and Associates Name (s): Chris Bostic					
CONSULTANT (Contact Person for Plans)	Address: 333 Fayetteville Street, Suite 600, Raleigh, NC 27601						
	Phone	: (919) 653-2927	Email: chris.bostic@kimley-horn.com			Fax	

DEVELOPMENT TYPE & SITE DAT	TA TABLE (Applicable to all developments)
Zoning Information	Building Information
Zoning District(s): O&I-1 and O&I-2 (1.89 acres), SC-CU (2.99 acres)	Proposed building use(s): Mixed Use: Hotel and Condo
If more than one district, provide the acreage of each	Existing Building(s) sq. ft. gross: O SF
Overlay District: N/A	Proposed Building(s) sq. ft. gross: 665,900 SF (Two Buildings)
Total Site Acres: 4.88 Acres Inside City Limits 🖾 Yes 🔲 No	Total sq. ft. gross (existing & proposed): 665, 900 SF
Off street parking Required: 514 Spaces Provided: 515 Spaces	Proposed height of building(s): 480 ft (O&I-2), 60 ft (SC)
COA (Certificate of Appropriateness) case #	FAR (floor area ratio percentage): 3.13
BOA (Board of Adjustment) case # A-	Building Lot Coverage percentage: 19.07% (site plans only)
CUD (Conditional Use District) case # Z-51-04	
Stormv	water Information
Existing Impervious Surface: 3.95 acres	Flood Hazard Area ⊠ Yes □ No
Proposed Impervious Surface: 3.16 acres	If Yes, please provide
Neuse River Buffer 🛛 Yes 🗖 No Wetlands 🗖 Yes 🖾 No	Alluvial Soils: N/A Flood Study: N/A FEMA Map Panel # 3720079600J
CONFORMITY WITH THE COMPREHE	ENSIVE PLAN (Applicable to all developments)
Provide a description of how your plan conforms to the guidelines of the Cor	nprehensive Plan 2030.
This application is for an extension of approved Site Plan SP-52-05.	
FOR SUBDIVISION, APARTMENT, T	TOWNHOUSE, CONDOMINIUM PROJECTS ONLY
Total # Of Townhouse Lots Detached Attached	11. Total number of all lots
2. Total # Of Single Family Lots	12. Is your project a cluster unit development? ☐ Yes ☒ No
3. Total # Of Apartment Or Condominium Units: 54	If Yes, please answer the questions below:


FOR SUBDIVISION, AFARTMENT, TOWNTIOUSE, CONDUMINION PROJECTS ONE!					
Total # Of Townhouse Lots Detached Attached	11. Total number of all lots				
2. Total # Of Single Family Lots	12. Is your project a cluster unit development? $\square$ Yes $\boxtimes$ No				
3. Total # Of Apartment Or Condominium Units: 54	If Yes, please answer the questions below:				
4. Total # Of Congregate Care Or Life Care Dwelling Units	a) Total number of Townhouse Lots				
5. Total # Of Mobile Home Lots	b) Total number of Single Family Lots				
6. Total Number of Hotel Units: 290	c) Total number of Group Housing Units d) Total number of Open Space Lots				
7. Overall Total # Of Dwelling Units (1-6 Above): 344	e) Minimum Lot Size				
8. Bedroom Units 1br 2br: 28 3br: 22 4br or more: 4	f) Total Number of Phases				
9. Overall Unit(s)/Acre Densities Per Zoning District(s): 28.6	<ul> <li>g) Perimeter Protective Yard Provided ☐ Yes ☐ No</li> <li>h) Must provide open space quotient per City Code 10-3071 (5)</li> </ul>				
10. Total number of Open Space (only) lots					
SIGNATURE BLOCK (Applicable to all developments)					
In filing this plan as the property owner(s), I/we do hereby agree and firmly bind ourselves, my/our heirs, executors, administrators, successors and assigns jointly and severally to construct all improvements and make all dedications as shown on this proposed subdivision plan as approved by the City.  I hereby designate to serve as my agent regarding this application, to receive and respond to administrative comments, to resubmit plans on my behalf and to represent me in any public meeting regarding this application.  I/we have read, acknowledge and affirm that this project is conforming to all application requirements applicable with the proposed development use.  Signed					

TO BE COMPLETED BY APPLICANT			TO BE COMPLETED BY CITY STAFF		
	YES	N/A	YES	NO	N/A
General Requirements					
Filing Fee for Plan Review – Payments may be made by cash, Visa, Master Card or check made payable to: City of Raleigh (No fee for Infill recombination)					
2. Preliminary Development Plan Application completed and signed by the property owner	$\boxtimes$				
3. Client must complete and print page 1 and 2 of the <u>Preliminary Development Plan Application</u> to the plan cover sheet (not applicable for infill recombination)	$\boxtimes$				
4. I have referenced the <u>Preliminary Development Plan Checklist</u> and by using this as a guide, it will ensure that I receive a complete and thorough first review by the City of Raleigh	$\boxtimes$				
5. Provide the following plan sheets:	$\boxtimes$				
a) Cover sheet: includes general notes, owner's name, contact's name, telephone number, mailing address and email address	$\boxtimes$				
b) Existing Conditions Sheet	$\boxtimes$				
c) Proposed Site or Subdivision Plan	$\boxtimes$				
d) Proposed Grading and Stormwater Plan	$\boxtimes$				
e) Proposed Utility Plan, including Fire	$\boxtimes$				
f) Proposed Tree Conservation Plan					
g) Proposed Landscaping Plan (Landscape Plan not required for commercial subdivisions)					
h) Building elevations that show maximum height from natural and finished grade, buildings to be removed					
i) Transportation Plan		$\boxtimes$			
6. Ten (10) sets of proposed plans to engineering scale (1" = 20', 1" =100', etc.), and date of preparation. For re-submittals only – include all revision dates					
7. Plan size 18"x24" or 24"x36"					
8. A vicinity map no smaller/less than 1"=500' and no larger than 1"=1000' to the inch, showing the position of the subdivision with its relation to surrounding streets and properties, and oriented in the same direction as the preliminary plan					
9. Include sheet index and legend defining all symbols with true north arrow, with north being at the top of the map					
10. Digital copy of only the plan and elevations. Label the CD with the plan name, case file number, and indicate how many times the plan has been resubmitted for review					
11. Wake County School Form, if dwelling units are proposed					
12. Preliminary stormwater quantity and quality summary and calculations package		$\boxtimes$			
13. For secondary tree conservation areas, include two (2) copies of the tree cover report completed by a certified arborist, North Carolina licensed landscape architect, or North Carolina registered forester					






CHANGES TO THE APPROVED PLAN RECOMMENDED BY THE URBAN FORESTER.



# 2/PL1.4 6/PL1.4 PROPOSED GROUNDCOVER PROPOSED LIGHT FIXTURE CITY OF RALEIGH REQUIRED PLANTS

# SOLEIL CENTER 4501 CREEDMOOR ROAD RALEIGH, N.C.

OWNER'S REPRESENATIVE: SOLEIL GROUP



Landscape Architect

## PLANTING PLAN NOTES

1. SIZE AND GRADING STANDARDS OF PLANT MATERIAL SHALL CONFORM TO THE LATEST EDITION OF "USA STANDARDS FOR NURSERY STOCK", BY THE AMERICAN ASSOCIATION OF NURSERYMAN, INC. HEIGHT AND WIDTH SPECIFICATIONS INDICATED ON PLANT SCHEDULE SHALL TAKE PRECEDENCE OVER CONTAINER SIZE AND CALIPER. ALL ANNUAL/PERENNIAL BEDS SHALL BE AMENDED BY THE CONTRACTOR PER THE SPECIFICATIONS AND RAISED 8" ABOVE EXISTING OR PROPOSED GRADE. CONTRACTOR SHALL PROVIDE TOPSOIL AS REQUIRED TO RAISE GRADES.

4. CONTRACTOR SHALL MOUND ALL PARKING LOT ISLANDS TO 8" ABOVE BACK OF CURB AT THE CENTER OF ISLAND. CONTRACTOR SHALL SUPPLY AND PLACE ADDITIONAL TOPSOIL IF NECESSARY FOR MOUNDING AS INDICATED ON CONSTRUCTION DOCUMENTS. 5. CONTRACTOR SHALL MULCH ALL SHRUB BEDS WITH 4" AGED SHREDDED HARDWOOD BARK, CONTRACTOR SHALL MULCH ALL ANNUAL/PERENNIAL BEDS WITH 1" PINE 6. ALL DISTURBED AREAS NOT INDICATED TO RECEIVE SOD OR MULCH SHALL BE

SEEDED BY THE CONTRACTOR. 7. CONTRACTOR SHALL REMOVE ALL HARD LUMPS OF CLAY, STONES OVER 1" IN DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AN OTHER DELETERIOUS MATTER WHICH WOULD BE HARMFUL, OR PREVENT PROPER ESTABLISHMENT AND/OR MAINTENANCE OF LAWN AND PLANTING AREAS. 8. IN AREAS WHERE CONSTRUCTION GRAVEL IS EMBEDDED IN THE SOIL, CONTRACTOR SHALL REMOVE CONTAMINATED SOIL TO A DEPTH OF 8" AND FILL WITH CLEAN TOPSOIL.

CONTRACTOR SHALL IMPORT TOPSOIL AT NO CHARGE TO OWNER IF REQUIRED TO FILL THESE EXCAVATIONS. 9. SEE DETAILS \_\_\_\_\_\_\_ SHEET \_\_\_\_\_PL1.4\_\_\_\_ FOR PLANTING DETAILS. 10. CONTRACTOR SHALL RESEED/RESOD LAWN AREAS DAMAGED DUE TO PLANT MATERIAL

INSTALLATION. CONTRACTOR SHALL COORDINATE ALL PLANTING IN THE RIGHT-OF-WAY WITH THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION OR LOCAL TRANSPORTATION DEPARTMENT.

12. ALL STRAPPING AND TOP 2/3 OF WIRE BASKET SHALL BE CUT AWAY AND REMOVED BY THE CONTRACTOR FROM ROOT BALL PRIOR TO BACKFILLING PLANTING PIT. CONTRACTOR SHALL REMOVE TOP 1/3 OF THE BURLAP FROM ROOT BALL. 13. FOR NEW PLANTING AREAS, CONTRACTOR SHALL REMOVE ALL PAVEMENT, GRAVEL SUB-BASE AND CONSTRUCTION DEBRIS; REMOVE COMPACTED SOIL AND ADD 24" NEW TOPSOIL, OR AMEND THE TOP 24" OF EXISTING SOIL TO MEET SPECIFIED TOPSOIL/PLANTING MIX STANDARDS FOR TREES (WITHIN ENTIRE MINIMUM AREA OF 350 SQUARE FEET PER TREE)


14. LARGE MATURING TREES SHALL BE A MINIMUM 25 TO 30 FEET FROM THE OVERHEAD DISTRIBUTION OR TRANSMISSION LINES. IF TREES CONFLICT WITH POWER LINES OR SIGNS, CONTRACTOR SHALL CONTACT URBAN FORESTER TO RESOLVE BEFORE

15. CONTRACTOR SHALL CALL 919-516-2555 FOR AN INSPECTION OF TREE PROTECTION AND/OR TREE PLANTING AREAS, SEVEN TO TEN DAYS PRIOR TO THE TEMPORARY OR FINAL CERTIFICATE OF OCCUPANCY DATE. 16. MINIMUM TREE SIZE AT PLANTING SHALL BE TWO INCH CALIPER (FOR SINGLE STEM TREES). ALL MULTI-STEM PLANTS SHALL BE TREE FORM, MAXIMUM THREE TO FIVE TRUNKS, AND A MINIMUM EIGHT FEET TALL. 17. EXISTING VEGETATION SHALL MEET THE REQUIREMENTS OF SECTION 10-2082 OF THE


RALEIGH CITY CODE AND IT WILL BE SUPPLEMENTED (IF INSUFFICIENT)
PER THE RECOMMENDATIONS OF THE INSPECTOR. 19. SHADED PLANT MATERIAL INDICATED ON THE CONSTRUCTION DOCUMENTS IS REQUIRED TO MEET CITY OF RALEIGH TREE ORDINANCE AND ZONING ORDINANCE REQUIREMENTS. CONTACT/COORDINATE WITH LANDSCAPE ARCHITECT IF PLANT QUANTITIES ARE ALTERED. 20. ALL CARE SHALL BE TAKEN BY LANDSCAPE CONTRACTOR TO PROTECT EXISTING TREES ALONG CREEDMOOR ROAD FROM GRADING AND UTILITY WORK. INSTALL TREE PROTECTION FENCE AROUND CANOPY DRIP LINE OF EXISTING TREES. PROPOSED TREES SHALL BE PLANTED AMONGST EXISTING TREES, TAKING CARE TO MINIMIZE DAMAGE TO




These documents are an instrument of professional services rendered by Perkins+Will. Re-use of these files, including the designs and information included therein shall be at the sole risk of the user and may be construed as copyright infringement. These documents shall not be used for any purpose without prior written agreement of Perkins+Will and Perkins+Will's consultants. Any unauthorized use of these documents is prohibited.




23027.000 Job Number Checked CBO Approved



Copyright © 2007 Perkins+Will





RATIO = 1 TREE PER 2000 SF VSA

RATIO = 1 SHRUB/500 SF VSA REQUIRED SHRUBS = 14

ADDITIONAL SHRUBS TO PROVIDE REQUIRED SCREENING FOR STREET YARD

ATTENTION CONTRACTOR/LANDSCAPER

IT IS THE RESPONSIBILITY OF THE CONTRACTOR/LANDSCAPER TO NOTIFY THE

URBAN FORESTER OF ANY SITE CONFLICTS THAT AFFECT TREE SPECIES OR LOCATIONS PRIOR TO PLANTING TREES. CALL THE URBAN FORESTER NAMED ON


THE APPROVED PLAN FOR <u>ANY CONFLICTS</u> REGARDING SITE, SIGNS, OVERHEAD POWERLINES OR OTHER UTILITIES. NOTIFY THE LANDSCAPE ARCHITECT OF

CHANGES TO THE APPROVED PLAN RECOMMENDED BY THE URBAN FORESTER.

REQUIRED TREES = 4

PROVIDED SHRUBS = 14

PROVIDED TREES = 4



EXISTING SITE INFORMATION OBTAINED FROM THE GLENN-TREE INVESTMENTS, LLC TOPOGRAPHIC SURVEY BY THE JOHN A. EDWARDS & COMPANY, 333 WADE AVE., RALEIGH, NC 27605, (919) 828-4428, DATED 08/01/05, REVISED 07/12/07.

LEGEN	D (PLANTING)	
SYMBOL		DETAIL
	PROPOSED TREELINE	-/-
+	PROPOSED TREE	2/PL1.
ĐĐĐĐĐĐ	PROPOSED SHRUBS	1/PL1.4
	PROPOSED SEED/SOD	-/-
	PROPOSED GROUNDCOVER	6/PL1.4
	PROPOSED GROUNDCOVER	6/PL1.4
	$\neg$	

# PERKINS + WILL 330 N. Wabash Ave. Suite 3600 Chicago, L. 60611 †: 312.755.0770 †: 312.755.0775

## SOLEIL CENTER

4501 CREEDMOOR ROAD RALEIGH, N.C.

to be the graded of the California

OWNER:


Gien-Tree Investments, LLC

1120 S. E. Cary Parkway
Cary, NC 27511

OWNER'S REPRESENTIVE:

SOLEL GROUP

1120 S. E. Cary Parkway, Suite 201



# **ColeJenes & Stone**Speciments for insurers

Shaping the Environment Realizing the Possibilities Land Planning

Land Planning + Landscape Architecture + Civil Engineering

150 Fayetteville Street, Suite 950 Raleigh, NC 27601 pr 919 719 1800 fr 919 719 1819 urb www.colejeneststone.com

SP-52-05

### PLANTING PLAN NOTES

FILL THESE EXCAVATIONS.

- 1. SIZE AND GRADING STANDARDS OF PLANT MATERIAL SHALL CONFORM TO THE LATEST EDITION OF "USA STANDARDS FOR NURSERY STOCK", BY THE AMERICAN ASSOCIATION
- 2. HEIGHT AND WIDTH SPECIFICATIONS INDICATED ON PLANT SCHEDULE SHALL TAKE PRECEDENCE OVER CONTAINER SIZE AND CALIPER.
- ALL ANNUAL/PERENNIAL BEDS SHALL BE AMENDED BY THE CONTRACTOR PER THE SPECIFICATIONS AND RAISED 8" ABOVE EXISTING OR PROPOSED GRADE. CONTRACTOR SHALL PROVIDE TOPSOIL AS REQUIRED TO RAISE GRADES.
- 4. CONTRACTOR SHALL MOUND ALL PARKING LOT ISLANDS TO 8" ABOVE BACK OF CURB AT THE CENTER OF ISLAND. CONTRACTOR SHALL SUPPLY AND PLACE ADDITIONAL TOPSOIL IF NECESSARY FOR MOUNDING AS INDICATED ON CONSTRUCTION DOCUMENTS.
- 5. CONTRACTOR SHALL MULCH ALL SHRUB BEDS WITH 4" AGED SHREDDED HARDWOOD BARK. CONTRACTOR SHALL MULCH ALL ANNUAL/PERENNIAL BEDS WITH 1" PINE BARK FINES.
- ALL DISTURBED AREAS NOT INDICATED TO RECEIVE SOD OR MULCH SHALL BE SEEDED BY THE CONTRACTOR.
   CONTRACTOR SHALL REMOVE ALL HARD LUMPS OF CLAY, STONES OVER 1" IN DIAMETER, AND ALL CONSTRUCTION DEBRIS INCLUDING GRAVEL, ROOTS, LIMBS AND
- OTHER DELETERIOUS MATTER WHICH WOULD BE HARMFUL, OR PREVENT PROPER ESTABLISHMENT AND/OR MAINTENANCE OF LAWN AND PLANTING AREAS.
- 8. IN AREAS WHERE CONSTRUCTION GRAVEL IS EMBEDDED IN THE SOIL, CONTRACTOR SHALL REMOVE CONTAMINATED SOIL TO A DEPTH OF 8" AND FILL WITH CLEAN TOPSOIL. CONTRACTOR SHALL IMPORT TOPSOIL AT NO CHARGE TO OWNER IF REQUIRED TO
- 9. SEE DETAILS \_\_\_\_\_\_ SHEET \_\_\_\_PL1.4 FOR PLANTING DETAILS.
- CONTRACTOR SHALL RESEED/RESOD LAWN AREAS DAMAGED DUE TO PLANT MATERIAL INSTALLATION.
   CONTRACTOR SHALL COORDINATE ALL PLANTING IN THE RIGHT—OF—WAY WITH THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION OR LOCAL TRANSPORTATION
- DEPARTMENT.
- ALL STRAPPING AND TOP 2/3 OF WIRE BASKET SHALL BE CUT AWAY AND REMOVED BY THE CONTRACTOR FROM ROOT BALL PRIOR TO BACKFILLING PLANTING PIT. CONTRACTOR SHALL REMOVE TOP 1/3 OF THE BURLAP FROM ROOT BALL.
   FOR NEW PLANTING AREAS, CONTRACTOR SHALL REMOVE ALL PAVEMENT, GRAVEL SUB-BASE AND CONSTRUCTION DEBRIS; REMOVE COMPACTED SOIL AND ADD 24" NEW TOPSOIL, OR AMEND THE TOP 24" OF EXISTING SOIL TO MEET SPECIFIED TOPSOIL/PLANTING MIX STANDARDS FOR TREES (WITHIN ENTIRE MINIMUM AREA OF 350 SQUARE FEET PER TREE)
- 14. LARGE MATURING TREES SHALL BE A MINIMUM 25 TO 30 FEET FROM THE OVERHEAD DISTRIBUTION OR TRANSMISSION LINES. IF TREES CONFLICT WITH POWER LINES OR SIGNS, CONTRACTOR SHALL CONTACT URBAN FORESTER TO RESOLVE BEFORE
- 15. CONTRACTOR SHALL CALL 919-516-2555 FOR AN INSPECTION OF TREE PROTECTION AND/OR TREE PLANTING AREAS, SEVEN TO TEN DAYS PRIOR TO THE TEMPORARY OR
- FINAL CERTIFICATE OF OCCUPANCY DATE.

  16. MINIMUM TREE SIZE AT PLANTING SHALL BE TWO INCH CALIPER (FOR SINGLE STEM TREES). ALL MULTI-STEM PLANTS SHALL BE TREE FORM, MAXIMUM THREE TO FIVE TRUNKS, AND A MINIMUM EIGHT FEET TALL.
- 17. EXISTING VEGETATION SHALL MEET THE REQUIREMENTS OF SECTION 10-2082 OF THE RALEIGH CITY CODE AND IT WILL BE SUPPLEMENTED (IF INSUFFICIENT) PER THE RECOMMENDATIONS OF THE INSPECTOR.

19. SHADED PLANT MATERIAL INDICATED ON THE CONSTRUCTION DOCUMENTS IS REQUIRED TO MEET CITY OF RALEIGH TREE ORDINANCE AND ZONING ORDINANCE REQUIREMENTS.


CONTACT/COORDINATE WITH LANDSCAPE ARCHITECT IF PLANT QUANTITIES ARE ALTERED.

20. ALL CARE SHALL BE TAKEN BY LANDSCAPE CONTRACTOR TO PROTECT EXISTING TREES ALONG CREEDMOOR ROAD FROM GRADING AND UTILITY WORK. INSTALL TREE PROTECTION FENCE AROUND CANOPY DRIP LINE OF EXISTING TREES. PROPOSED TREES SHALL BE PLANTED AMONGST EXISTING TREES, TAKING CARE TO MINIMIZE DAMAGE TO EXISTING TREES BY AVOIDING IMPACTS WITHIN CANOPY DRIP LINE.




These documents are an instrument of professional services rendered by Perkins+Will. Re—use of these files, including the designs and information included therein shall be at the sole risk of the user and may be construed as copyright infringement. These documents shall not be used for any purpose without prior written agreement of Perkins+Will and Perkins+Will's consultants. Any unauthorized use of these documents is prohibited.

Pavisions



CAPITAL BANK LANDSCAPE PLAN



DI 1

Copyright © 2007 Perkins+Will

1. CONTRACTOR IS FULLY RESPONSITE ASSURING THAT EXISTING UTILITIES

CONTRACTOR IS FULLY RESPONSIBLE FOR CONTACTING APPROPRIATE PARTIES AND ASSURING THAT EXISTING UTILITIES ARE LOCATED PRIOR TO CONSTRUCTION.
 CONTRACTOR IS RESPONSIBLE FOR PLACING BARRICADES USING FLAG MEN, ETC. AS NECESSARY TO INSURE SAFETY TO THE PUBLIC.
 ALL PAVEMENT CUTS, CONCRETE OR ASPHALT, ARE TO BE REPLACED ACCORDING TO STANDARDS OF THE NORTH CAROLINA DEPARTMENT OF TRANSPORTATION AND THE CITY OF RALIEGH PUBLIC UTILITIES SPECIFICATIONS.

4. SHORING WILL BE ACCORDING TO OSHA TRENCHING STANDARDS PART 1926 SUBPART P, OR AS AMENDED.